



AEI **ENS**

- EMERGENCY NOTIFICATION SOLUTION

EMERGENCY NOTIFICATION PHONES



- A simple press of emergency button will trigger to show the **Emergency and Location** on the surveillance phone display.
- Speaker phone will turn on for a certain period automatically for **Two-way communication**.





SURVEILLANCE PHONE – SAFETY KEEPER MONITORING & EMERGENCY CALLS

Security Center
Safety Keeper



- A simple press of emergency button on emergency phones will trigger to show the **Emergency and Location** on the safety keeper display.
- **Two-way communication** with the distressed person will also be opened.




Front Desk
Safety Keeper



Multiple safety keepers
alarm simultaneously



AEI **ENS** APPLICATION A - HOTEL PUBLIC AREA



Press "Mugging" button if any violence activities.



Press "Front Desk" button for customer service or regular assistances.

Front Desk


2020-05-05 19:30
Restaurant 2F
0201



Mugging

2020-05-05 19:30
Corridor 8F
0802

AEI **ENS** APPLICATION B - HOTEL BATHROOM



Press "Front Desk" button for regular assistances

 **Front Desk**

2020-05-05 15:30
12F Room 08
1208

 **Medical
Emergency**

2020-05-05 15:30
12F Room 08
1208

 **Mugging**

2020-05-05 15:30
12F Room 08
1208

Press "Medical Emergency" button when accidentally falling down.

Press "Mugging" button if any violence activities.



AEI *ENS* APPLICATION C - BUILDING ON FIRE

 **Fire**


2020-05-05 19:25
**Hallway 5F
0501**

 **Fire**

2020-05-05 14:25
**Stairwell 5F
0599**




Press "Fire" button to alarm security center






AEI **ENS** APPLICATION D - HOSPITAL, MEDICAL CENTER

Nursing Station




Press "Emergency" button to inform nursing station

Public hallway



Ward



Security Center




SAFETY KEEPER SCHEME – CONNECTIVITY

| Segment A | Hallway | Lobby |
|-----------|---------|-------|
| 1 F | 0101 | 0102 |
| 2 F | 0201 | 0202 |
| 3 F | 0301 | 0302 |
| 4 F | 0401 | 0402 |
| 5 F | 0501 | 0502 |
| 6 F | 0601 | 0602 |
| 7 F | 0701 | 0702 |
| 8 F | 0801 | 0802 |
| ... | ... | ... |
| 20 F | 2001 | 2002 |
| 21 F | 2101 | 2102 |
| 22 F | 2201 | 2202 |
| 23 F | 2301 | 2302 |
| 24 F | 2401 | 2402 |
| 25 F | 2501 | 2502 |

Security center safety keeper



Front desk(Reception) safety keeper
 Alarm simultaneously when there is an emergency call




- Each safety keeper controls up to 128 emergency phone extensions




SAFETY KEEPER SCHEME – SEGMENT

Safety keeper A



| Segment A | Hallway | Lobby |
|-----------|---------|-------|
| 1 F | 0101 | 0102 |
| 2 F | 0201 | 0202 |
| 3 F | 0301 | 0302 |
| 4 F | 0401 | 0402 |
| 5 F | 0501 | 0502 |
| 6 F | 0601 | 0602 |
| 7 F | 0701 | 0702 |
| 8 F | 0801 | 0802 |
| ... | ... | ... |
| 83 F | 8301 | 8302 |
| 84 F | 8401 | 8402 |
| 85 F | 8501 | 8502 |
| 86 F | 8601 | 8602 |
| 87 F | 8701 | 8702 |
| 88 F | 8801 | 8802 |

Safety keeper B





| Segment B | Hallway | Lobby |
|-----------|---------|-------|
| 1 F | 0101 | 0102 |
| 2 F | 0201 | 0202 |
| 3 F | 0301 | 0302 |
| 4 F | 0401 | 0402 |
| 5 F | 0501 | 0502 |
| 6 F | 0601 | 0602 |
| 7 F | 0701 | 0702 |
| 8 F | 0801 | 0802 |
| ... | ... | ... |
| 83 F | 8301 | 8302 |
| 84 F | 8401 | 8402 |
| 85 F | 8501 | 8502 |
| 86 F | 8601 | 8602 |
| 87 F | 8701 | 8702 |
| 88 F | 8801 | 8802 |

- Multiple safety keepers control more emergency phones to simplify management

FLEXIBLE CONNECTIVITY



Both supported

Safety keeper built-in small IPPBX



Emergency phones register to safety keeper

Traditional Registration




Emergency phones register directly to IPPBX



SAFETY KEEPER SCHEME – BROADCASTING

- In some emergency situation, security center will need to make some safety announcements.
- By pressing the pre-assigned broadcasting code, all the connected notification phones will ring and automatically answer broadcasting announcement from the safety keeper phone.





AEI **ENS** BENEFITS

- The AEI **ENS** emergency phone system is suitable for using in all public buildings with security or emergency institution e.g.: Hotel, Hospital, or other facilities.
- Information Integrated – On the panel of Security Center safety keeper, color display will indicate the emergency phone extension number. The security members can also dial via the number keypad to make a call to correspondent.
- Avoid the misunderstanding – The shown emergency phone extension reduces the mishap possibility during communication.
- Fast react – This solution allows security members immediately identify where the call comes from that they can send assistance to correct location as soon as possible.
- Broadcasting – AEI **ENS** broadcast warnings and other accurate information to listeners in times of emergency.
- Save cost – Safety keeper comes with built-in small IPPBX. Emergency phone extensions register to safety keeper directly to save license fee.
- Unique positioning – IP Based technology to identify the accurate location of emergency phones.



THANK YOU

We look forward to serve you

