# vtech<sup>®</sup> | Hospitality



# The Smallest Cordless Phone on the Market

CTM-A2415 Analog, Cordless, 1-line phone

CTM-C4102 Accessory handset for CTM-A2415



CTM-A2415 Matte black

CTM-A2415HC Analog, Cordless, Accessory handset with charger

C4012 Accessory charger for CTM-C4102



CTM-A2415HC Matte black

## **KEY FEATURES**

- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- Backup battery ensure guests can still use phone during power outages
- Backup battery matches handset battery, ease for hotel stock management in single type of battery only
- Base backup battery supports up to 90mins in standby mode and 90mins handset talk time
- Available in Matte Black or Silver Black
- ENERGY STAR® \* qualified

#### **Cordless Features**

- Adjustable RF transmission power prevents interference
- Built-in speakerphone on both base and cordless handset
- Handset battery life: up to 7 hours of talk time with 5 days of standby time
- Expandable cordless system: up to a total of 4 cordless handsets
- Backlit handset dialpad
- Answer a call by simply picking up the handset from the charger
- DECT 6.0\* technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- · Register additional handsets quickly and easily
- Side handset volume control for easy access
- Pre-installed battery means quick installation



#### **Phone Features**

- Environmentally friendly ROHS program reduces the use of hazardous substances including lead, mercury and cadmium
- Sturdy, solid construction ensures phone stays in place on the desk or nightstand
- Large visual message waiting indicator compatible with all major PBXs
- Four programmable speed dial/guest service buttons on base
- Dedicated EMERGENCY, MUTE and MESSAGE keys, plus two additional speed dial/guest service buttons on handset
- Desk- or wall-mountable (wall mount brackets sold separately)
- Fully customizable faceplates
- Hearing Aid compatible

<sup>\*</sup> This feature is available for US and Canada market only.

#### **SPECIFICATIONS**

Colors: Matte Black, Silver Black

Power source: External power

Radio Frequency baseband:

Available in DECT 1.9GHz, and DECT 1.8GHz EU version

Message waiting signal type:

High voltage, Avaya low voltage,

Alcatel low voltage, FSK, reverse polarity, Siemens, Panasonic

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

5-year limited warranty

#### **CERTIFICATIONS**

HAC

FCC Part 15 Class B

FCC Part 68

IC

UL / cUL

CE

RoHS

Energy Star® \*

**ADA Compliant** 

# **CORDS**

## **Desk Version**

2-in-1 Y-cable telephone card

1.5 meters

combined with power jack

### **DIMENSIONS**

Master Carton Measurements: (12 pcs per carton)

CTM-A2415 - 21.7 in. x 18.3 in. x 6.5 in. (55cm x 46.6cm x 166cm), weight: 23.3lbs (10.6kg)

CTM-A2415HC - 15.0 in. x 14.6 in. x 9.8 in. (38cm x 37.2cm x 25cm), weight: TBC

## PRODUCT PART NUMBERS\*\*

	Matte Black	Silver Black
CTM-A2415	80-H0DU-15-000	80-H0DU-06-000
CTM-A2415HC	80-H0DV-15-000	80-H0DV-06-000
CTM-C4102 Accessory Handset	80-H0DZ-15-000	80-H0DZ-06-000
C4012 Accessory Charger	80-H0E2-15-000	80-H0E2-06-000

<sup>\*</sup> This feature is available for US and Canada market only.

<sup>\*\*</sup> The part numbers beginning with 80-H0 are for US and Canada market only.